


HOSCH PRE- SCRAPER



TYPE **HD-PU-L**

HOSCH Pre-Scraper Type HD-PU-L

Increased uptime to meet production targets and output demands with a reduced number of personnel is an absolute must for today's operators of conveyor belt systems worldwide. Therefore they all require scrapers that are simple and user-friendly and achieve maximum cleaning efficiency.

In case the main scraper cannot cope with the thickness of the material sticking to the belt surface, a so-called pre-scraper has to be installed.

HOSCH have taken up this challenge and have developed the **HOSCH** pre-scraper **Type HD-PU-L** with the following main features:

- Very simple handling for easy installation and easy maintenance
- Very cost-effective
- High economic efficiency in combination with the **HOSCH** main scrapers

In combination with the **HOSCH** main scrapers and their unsurpassed efficiency known world-wide, the **HOSCH** pre-scraper **Type HD-PU-L** reduces the cleaning and operating costs as well as unnecessary downtime.

Please visit us on our website www.hosch-international.com and receive some more detailed information.

HOSCH Services

HOSCH will take care of you anywhere in the world. Please get in touch with us and we will come back to you – irrespective of where you are.

Our service comprises the following items:

- Technical analysis of your conveyor belt systems.
- Selection of suitable belt cleaning and belt tracking systems.
- OEM support and CAD supported installation drawings.
- Installation, maintenance and service of **HOSCH** systems.
- Additional support for the operation of your conveyor belt such as
 - the compilation of belt plans and maintenance statistics
 - spare parts management.
- The collection of accurate data from service visits will enable cost saving opportunities to be identified and implemented.

Characteristics of the HOSCH Pre-Scraper Type HD-PU-L



- Belt widths : 600 mm up to 2,400 mm
- Belt speeds : Up to 5.5 m/s. Up to 2.5 m/s with mechanical belt splices.
- Belt types : For multi-ply nylon and steel-cord belts with a flat surface and with vulcanized and/or mechanical splicing. Recommended hardness > 60 Shore-A
- Runback : Yes
- Reverse operation : Yes
- Installation position : As a pre-scraper on the head-pulley, between the 3 and the 4 o'clock position.
- Cleaning modules : Polyurethane (PU) cleaning blocks
- Design : Modular scraper design, individual set-up suitable for most conveyor applications.
- Directions for use : Ideal complement to any **HOSCH** main scraper. For further technical information, please refer to the additional documentation available such as installation and operation manuals, dimension sheets and parts lists. Use in different operating conditions must be approved by **HOSCH**.

**HOSCH International (Pty) Ltd.**

Perth, Australia
tel: +61 8 9315 8000
e-mail: mail@hosch.com.au
web: www.hosch.com.au

**PT. HOSCH Technology Indonesia**

Balikpapan, Indonesia
tel: +62 542 88 616 92
e-mail: indonesia@hosch-asia.com
web: www.hosch-asia.com

**HOSCH Austria GmbH**

Vienna, Austria
tel: +43 (1) 22100-222
e-mail: office@hosch-austria.at
web: www.hosch-austria.at

**HOSCH Italia S.R.L.**

Pontecagnano, Italy
tel: +39 089 849 052
e-mail: mail@hosch.it
web: www.hosch.it

**HOSCH do Brasil Ltda.**

Belo Horizonte, Brazil
tel: +55 31 3284-8068
e-mail: hosch@hosch.com.br
web: www.hosch.com.br

**HOSCH Asia PLT**

Puchong, Malaysia
tel: +60 3 5879 9950
e-mail: mail@hosch-asia.com
web: www.hosch-asia.com

**HOSCH Chile S.p.A.**

Santiago, Chile
tel: +56 2 3263 7520
e-mail: info@hosch.cl
web: www.hosch-international.com

**HOSCH Techniki Transportowe Polska Sp. z o.o.**

Wroclaw, Poland
tel: +48 71 321 92 21
e-mail: hosch@hosch.pl
web: www.hosch.pl

**HOSCH France S.A.R.L.**

Calais, France
tel: +33 1 64 13 63 60
e-mail: info@hosch.fr
web: www.hosch.fr

**HOSCH Fördertechnik (SA) (Pty) Ltd.**

Johannesburg, South Africa
tel: +27 11 826 6940
e-mail: sales@hoschsa.co.za
web: www.hoschsa.co.za

**HOSCH Fördertechnik RE GmbH**

Recklinghausen, Germany
tel: +49 2361 58980
e-mail: mail@hosch.de
web: www.hosch-international.com

**HOSCH Iberia S.R.L.U.**

Barcelona, Spain
tel: +34 93 467 49 10
e-mail: hosch@hosch.es
web: www.hosch.es

**HOSCH (GB) Ltd.**

Thornaby, Great Britain
tel: +44 1642 751 100
e-mail: mail@hosch.co.uk
web: www.hosch.co.uk

**HOSCH Schweiz GmbH**

Rotkreuz, Switzerland
tel: +41 41 790 25 33
e-mail: info@hosch-schweiz.ch
web: www.hosch-international.com

**HOSCH Equipment (India) Limited**

Kolkata, India
tel: +91 33 33370 0400
e-mail: hosch@cal.vsnl.net.in
web: www.hosch-international.com

**HOSCH COMPANY, LLLP**

Pittsburgh, USA
tel: +1 724 695 3002
e-mail: hosch@hoschusa.com
web: www.hoschusa.com

© HOSCH Fördertechnik Recklinghausen GmbH

No part of this publication may be reproduced, transmitted, transcribed, stored in any retrieval system or translated into any human or computer language by any means or in any form, without the prior written permission of HOSCH Fördertechnik Recklinghausen GmbH. Contravention of the owner's copyright may also reduce the ability of HOSCH Fördertechnik Recklinghausen GmbH to provide effective support for its equipment.

HOSCH Fördertechnik Recklinghausen GmbH reserves the right to make changes without notice to both this document and to its products described within this document. Nothing in this publication represents any contractual or other commitment on the part of HOSCH Fördertechnik Recklinghausen GmbH and should not be taken as such. All possible care has been taken in the preparation of this publication.