


HOSCH PRESCRAPER



TYPE HD-PU-L2

HOSCH Pre-Scraper Type HD-PU-L2

Increased uptime to meet production targets and output demands with a reduced number of personnel is an absolute must for today's operators of conveyor belt systems worldwide. Therefore they all require scrapers that are simple and user-friendly and achieve maximum cleaning efficiency.

In case the main scraper cannot cope with the thickness of the material sticking to the belt surface, a so-called pre-scraper has to be installed.

HOSCH have taken up this challenge and have developed the **HOSCH** pre-scraper **Type HD-PU-L2** with the following main features:

- Very simple handling for easy installation and easy maintenance
- Very cost-effective
- High economic efficiency in combination with the **HOSCH** main scrapers

In combination with the **HOSCH** main scrapers and their unsurpassed efficiency known world-wide, the **HOSCH** pre-scraper **Type HD-PU-L2** reduces the cleaning and operating costs as well as unnecessary downtime.

Please visit us on our website www.hosch-international.com and receive some more detailed information.

HOSCH Services

HOSCH will take care of you anywhere in the world. Please get in touch with us and we will come back to you – irrespective of where you are.

Our service comprises the following items:

- Technical analysis of your conveyor belt systems.
- Selection of suitable belt cleaning and belt tracking systems.
- OEM support and CAD supported installation drawings.
- Installation, maintenance and service of **HOSCH** systems.
- Additional support for the operation of your conveyor belt such as
 - o the compilation of belt plans and maintenance statistics
 - o spare parts management.
- The collection of accurate data from service visits will enable cost saving opportunities to be identified and implemented.



Characteristics of the HOSCH Pre-Scraper Type HD-PU-L2



Belt widths: 1,600 mm up to 3,200 mm

Belt speeds: Up to 7.5 m/s. Up to 2.5 m/s with mechanical belt splices.

Belt types : For multi-ply nylon and steel-cord belts with a flat surface and vulcanized and/or

mechanical splicing. Recommended hardness > 60 Shore-A

Runback: Yes

Reverse operation: Yes

Installation position: As a pre-scraper on the head-pulley, between the 3 and the 4 o'clock position.

Cleaning modules : Polyurethane (PU) cleaning blocks

Design: Modular scraper design, individual set-up suitable for most conveyor applica-

tions.

Directions for use: Ideal complement to any HOSCH main scraper.

For further technical information, please refer to the additional documentation available such as installation and operation manuals, dimension sheets and parts

lists. Use in different operating conditions must be approved by **HOSCH**.





HOSCH International (Pty) Ltd.

Perth, Australia tel: +61 8 9315 8000 e-mail: mail@hosch.com.au web: www.hosch.com.au



HOSCH Austria GmbH

Vienna, Austria tel: +43 (1) 22100-222 e-mail: office@hosch-austria.at web: www.hosch-austria.at



HOSCH do Brasil Ltda.

Belo Horizonte, Brazil tel: +55 31 3284-8068 e-mail: hosch@hosch.com.br web: www.hosch.com.br



HOSCH Chile S.p.A.

Santiago, Chile tel: +56 2 3263 7520 e-mail: info@hosch.cl web: www.hosch-international.com



HOSCH France S.A.R.L.

Calais, France tel: +33 1 64 13 63 60 e-mail: info@hosch.fr web: www.hosch.fr



HOSCH Fördertechnik RE GmbH

Recklinghausen, Germany tel: +49 2361 58980 e-mail: mail@hosch.de web: www.hosch-international.com



HOSCH (GB) Ltd.

Thornaby, Great Britain tel: +44 1642 751 100 e-mail: mail@hosch.co.uk web: www.hosch.co.uk



HOSCH Equipment (India) Limited

Kolkata, India tel: +91 33 3370 0400 e-mail: hosch@cal.vsnl.net.in

web: www.hosch-international.com



PT. HOSCH Technology Indonesia

Balikpapan, Indonesia tel: +62 542 88 616 92 e-mail: indonesia@hosch-asia.com web: www.hosch-asia.com



HOSCH Italia S.R.L.

Pontecagnano, Italy tel: +39 089 849 052 e-mail: mail@hosch.it web: www.hosch.it



HOSCH Asia PLT

Puchong, Malaysia tel: +60 3 5879 9950 e-mail: mail@hosch-asia.com web: www.hosch-asia.com



HOSCH Techniki Transportowe Polska Sp. z o.o.

Wrocław, Poland tel: +48 71 321 92 21 e-mail: hosch@hosch.pl web: www.hosch.pl



HOSCH Fördertechnik (SA) (Pty) Ltd.

Johannesburg, South Africa tel: +27 11 826 6940 e-mail: sales@hoschsa.co.za web: www.hoschsa.co.za



HOSCH Iberia S.R.L.U.

Barcelona, Spain tel: +34 93 467 49 10 e-mail: hosch@hosch.es web: www.hosch.es



HOSCH Schweiz GmbH

Rotkreuz, Switzerland tel: +41 41 790 25 33 e-mail: info@hosch-schweiz.ch web: www.hosch-international.com



HOSCH COMPANY, LLLP

Pittsburgh, USA tel: +1 724 695 3002 e-mail: hosch@hoschusa.com web: www.hoschusa.com

© HOSCH Fördertechnik Recklinghausen GmbH

No part of this publication may be reproduced, transmitted, transcribed, stored in any retrieval system or translated into any human or computer language by any means or in any form, without the prior written permission of HOSCH Fördertechnik Recklinghausen GmbH. Contravention of the owner's copyright may also reduce the ability of HOSCH Fördertechnik Recklinghausen GmbH to provide effective support for its equipment.

HOSCH Fördertechnik Recklinghausen GmbH reserves the right to make changes without notice to both this document and to its products described within this document. Nothing in this publication represents any contractual or other commitment on the part of HOSCH Fördertechnik Recklinghausen GmbH and should not be taken as such. All possible care has been taken in the preparation of this publication.